



—— *Professional manufacturer of power adapter*

深圳市成威源科技有限公司
Shenzhen Cenwell Technology Co., Ltd.

www.cenwell-tech.com

安规标准



Contents

- USB Charger
- Wall Mounted type
- Desktop type
- Interchangeable type



USB Charger



5V1A one port USB Charger

- Model No.: CW0501000
- Output: 5V1A
- Color: black/white
- Special design for mobile
- Plug: US UK EU AU China, folding US/China

New design!!



USB Charger



Dimension: 53.6 X29.0 X29.0mm

5V1A one port USB Charger

- **Model No.: CW0501000**
- **Output: 5V1A**
- **Color: red, white, yellow, green, black etc.**
- **Special design for mobile**
- **US EU plug**



Dimension: 54.7 X40.8 X23.5mm

5V2A one port USB Charger

- **Model No.: CW0502000**
- **Output: 5V2A**
- **Color: white, black etc.**
- **Can charge for mobile or tablets**
- **US EU UK plug**

USB Charger



Dual USB charger

- Model No.: CW0502100
- Output: 5V2.1A
- Color: white, black etc.
- Charge for tablets or 2 mobile phone at the same time
- US plug
- Merits: folding plug

Dimension: 49 X48 X28mm

USB Charger

Folding plug



4 Port USB charger

- Model No.: CW0503100
- Output: 5V3.1A
- Color: white, black etc.
- Charge for tablets and mobile phone at the same time
- US plug
- Merits: folding plug
interchangeable plug

Interchangeable plug



Dimension: 67.9 X 50 X 28.2mm

USB Charger



New design!!

5 Port USB charger

- **Model No.: CW0508000**
- **Output: 5V8A**
- **Color: black/white**
- **Charge for various device at the same time**

USB Charger

4 Port USB smart charger

- Model No.: CW0504200
- Output: 5V4.2A
- Color: multi-color
- Charge for various device at the same time

New design!!



Wall Mounted type

Vertical



New design!!

Specifications

Power (max.): **6W**

Voltage: 5-24V

Current: 0.05-1.2A

Plug: US UK EU AU

DC output or USB output

Wall Mounted type

Vertical



New design!!

Specifications

Power (max.): **15W**

Voltage: 5-24V

Current: 0.01-2.5A

Plug: US UK EU AU

DC output or USB output

Wall Mounted type

Horizontal



Specifications

Power (max.): **18W**

Voltage: 3-24V

Current: 0-3A

Plug: US UK EU AU

Dimension: 81.8 X43.2 X37.8mm

Wall Mounted type



Specifications

Power (max.): **30W**

Voltage: 5-24V

Current: 0.05-4A

Plug: US UK EU AU

Wall Mounted type

Horizontal



Specifications

Power (max.): **36W**

Voltage: 3-48V

Current: 0-5A

Desktop type



Specifications

Power (max.): **36W**

Voltage: 3-24V

Current: 0-5.5A

2-prong or 3-prong

Dimension: 106.2 X46.2 X35mm

Desktop type



Specifications

Power (max.): **65W**

Voltage: 3-48V

Current: 0-8A

2-prong or 3-prong

Dimension: 110.5 X51.2 X32.8mm

Desktop type



Specifications

Power (max.): **84W**

Output Voltage: 42V

Output Current: 2A

2-prong

Interchangeable plug type



Specifications

Power: **5 – 30 W**

Voltage: 3-24V

Current: 0-3.5A

USB output or DC output optional



CCC 中国强制性产品认证证书

证书编号: 2013012007624079

委托人名称: 地址
深圳市宝信技术有限公司
深圳市宝安区西乡街道铁岗社区铁岗村铁岗二区五区五路五号五楼五单元

生产厂名称: 地址
深圳市宝信技术有限公司
深圳市宝安区西乡街道铁岗社区铁岗村铁岗二区五区五路五号五单元

生产产品名称: 地址
深圳市宝信技术有限公司
深圳市宝安区西乡街道铁岗社区铁岗村铁岗二区五区五路五号五单元

产品名称: 规格、型号
空调遥控器
说明: (不带电池遥控器, 仅遥控器) 仅遥控器以遥控器, 仅遥控器以遥控器(仅遥控器)

产品标准和技术要求
GB4943.1-2011; GB9294.2-2008; GB17625.1-2012
上述产品符合强制性产品认证实施规则
CCC-011-02-0119 的要求, 特此声明。

发证日期: 2014年04月24日 有效期至: 2015年07月01日
注: 如有有效期内本证书的有效性保持要求, 证书的认证依据保持有效。
本证书为受证证书, 证书编号: 发证日期: 2013年07月01日
本证书的相关信息可通过国家认证认可网 www.ccc.org.cn 查询


CCC

主 任: 刘伟

中国质量认证中心

中国: 北京 国家质检总局 100029
<http://www.ccc.org.cn>

CHINA CERTIFICATION CENTER



CE

FCC

GS



KC

PSE

SAA

UL



Contact: Ms. Becky Liu

Mobile: +86-15272042720

Tel: +86-755-84160040

Fax: +86-755-28057413

E-mail: sales01@cenwellpower.com

Skype: becky8996

QQ/Wechat: 2965064739

Web: www.cenwell-tech.com, www.cenwellpower.com

Add: building C, Shengshun Industrial Park, Junxin Road, Guanlan Town,
Bao'an District, Shenzhen, China.